



Kodak

Kodak
Service & Support

www.kodak.com/go/docimaging

© Kodak, 2007. Kodak, Imagelink and Digital Science are trademarks of Kodak. PowerFilm is a trademark of InfoCap Technologies, used under license by Kodak.

A-5731 CAT No. 165 5935

June 2007

Kodak

Document Imaging
Products



Kodak

CONTENTS:

Introduction	2
Kodak's Innovative Technology	2-3
Interfaces and Drivers	4
MULTIPURPOSE NETWORK SCANNERS	
Kodak Scan Station 100	5-6
DOCUMENT SCANNERS	
Kodak i6000 Series Check Scanners	7-9
Kodak i30 and i40 Scanners	10-11
Kodak i1200 Series Scanners	12-13
Kodak i55 and i65 Scanners	14-15
Kodak i1300 Series Scanners	16-17
Kodak i100 Series Scanners	18
Kodak i200 Series Scanners	19-20
Kodak i1400 Series Scanners	21-22
Kodak i600 Series Scanners	23-24
Kodak i800 Series Scanners	25-26
Kodak i1800 Series Scanners	27-28
Kodak Capture Software	29
REFERENCE ARCHIVING	
Kodak i9600 Series Writers	30-31
Kodak Reference Archive Media	32
Kodak i9600 Application Software Kit	32-33
Electronic Microimaging from Kodak	33
Kodak i7300 Scanner; Kodak i7300 Scanner Application Software; Kodak Image Server Software	34-35
Kodak 2400/3000DSV-E Digital Scanner-Printers	35-37
PowerFilm Application Software for the i7300 and DSVs	37
Kodak Service & Support	
Contact Us	39-40
NOTES	41

Innovation you can count on— the world of document imaging from Kodak

With over 75 years of expertise and a legacy of document imaging innovation, Kodak is your partner of choice for modern document imaging technology. Kodak offers the broadest range of scanners and integrated imaging equipment on the market. Our quality standards are exceptional, and our performance is well established—based on input and feedback from customers like you. Kodak develops innovative technologies, ranging from paper separation, document transport and multi-feed detection features to CCD sensors and image enhancement, along with advanced and easy-to-use solutions for reference archiving. And the quality of our media is world-renowned.

Kodak Scanners feature innovative technology

- Automatic document feeders (ADF) as standard
- ADF capacities of 50 to 1,000 pages
- Handle an extremely wide range of document sizes and types
- Scanning speeds of 20 to 640 images per minute
- Scanning in simplex (one-sided) and duplex (two-sided) modes
- Scanning in bitonal, grayscale and color
- Dual stream image output
- Standard SCSI-2, USB 2.0 or IEEE-1394 (**FireWire**) interfaces
- Perfect Page scanning for exceptional image quality
- Ultrasonic multi-feed detection on most scanner models
- Imaging of long and irregularly shaped documents (i280 scanner)
- A wide range of accessories and options
- Optical resolution up to 600 dpi

Reference archiving solutions, only from Kodak

- Reference archive products from Kodak help protect your business from fraud, loss and litigation
- Electronic imaging breakthrough
- Combines micrographic storage and digital access
- Creates a whole new method of archiving—media that can be stored indefinitely yet accessed almost instantly
- **Kodak** i9600 Series Writers, the **Kodak** i7300 Scanner and related products create peace-of-mind, total-access solutions

Innovative scanner technology from Kodak

Advanced features available on most models of Kodak Scanners:

Perfect Page scanning

Processes even the most difficult original documents with consistently high quality, and dynamically sets brightness and contrast for each document in a batch. Functions such as the automatic alignment of documents (deskew) and imaging to the actual paper format (contour tracing and cropping) ensure the best possible representation of scanned documents. Perfect Page scanning allows you to scan a wider range of documents without presorting, changing scanner settings, or post-image processing for high productivity.

Dual stream image output

Kodak's CCD sensors produce two images of each scanned document page: bitonal and color or bitonal and grayscale, so you can use applications that process two images simultaneously. Plus, dual stream output makes it easier to migrate to color scanning applications.

SurePath paper handling

Our automatic document feeders accept and feed batches of mixed paper sizes and weights. Our very reliable, document transport technology treats your originals with care and ensures that they reach the output tray in optimal condition and in the correct order.

Ultrasonic multi-feed detection

The ultrasonic multi-feed detection developed by Kodak is extremely reliable and detects glued or stapled documents as they are fed into the scanner. Because the latest innovations are used, ultrasonic technology is far superior to conventional multi-feed detection methods.

Precision lenses

Lens technology is part of Kodak's legacy. With over 150 years of experience in this area, Kodak produces lens systems for scanners that are virtually unbeatable.

Optics/CCDs

Kodak's image sensors have their origins in space technology. They deliver optimal image quality in bitonal, grayscale and color.

Interfaces and drivers

SCSI interface

The ANSI standard interface, covering several different interfaces and connectors. Ranges from SCSI-1 with an 8-bit bus and data rates of 4 Mbps to wide ultra 2 SCSI with a 16-bit bus with data rates of 80 Mbps.

USB 2.0 interface

Up to 40 times faster than USB 1.1, the USB 2.0 interface is backward compatible with existing USB technology, and enables scanners to be connected using plug-and-play technology. The USB 2.0 serial bus enables data transfer rates up to 480 Mbps.

IEEE-1394 (FireWire) interface

The IEEE-1394 interface, commonly known as **FireWire**, enables scanners to be connected using plug-and-play technology and allows for real-time transmission speeds of 100, 200, or 400 Mbps (megabits per second), compared to 12 Mbps for USB 1.1. **FireWire** also uses autoconfiguration to eliminate ID conflicts, and is expandable for up to 63 devices on the same **FireWire** bus.

TWAIN and ISIS drivers

Indispensable for integration in various scanner applications, **TWAIN** and **ISIS** drivers are bundled with all **Kodak** Scanners.

MULTIPURPOSE NETWORK SCANNERS

Kodak Scan Station 100

Easily scan and send documents across the hall or around the world—with one product



Scan to e-mail, to folders, to print, to FTP, to portable USB drives, to searchable PDF. The **Kodak** Scan Station 100 makes it easy to share documents across your office network in just moments.



Robust, reliable and compact, this unit is really a document sharing solution. It works within your existing network infrastructure, and there's no need to purchase additional hardware or software.

Innovative and intuitive, a color LCD touch screen makes it easy for anyone in your office to send documents to multiple network destinations, simultaneously. Today's Scan Station 100 is more innovative, flexible and intuitive than ever. It supports a much wider range of printers and printer configurations and features multiple file naming options—from preset prefixes to completely interactive naming.

Now you get a free 30-day trial of NSi AUTOSTORE Express. It's easy-to-use software that lets you—

- Immediately output scans to multiple document systems
- Increase security with device-level user authentication
- Preview scanned images with fingertip control of rescan, image rotation and more
- Index documents when you scan

Learn more from your sales representative or by visiting www.nsius.com.

New productivity advantages are ideal for offices needing to handle many types of paperwork efficiently:

- Eliminate mailing, faxing and filing of paper
- Scan both sides of documents simultaneously
- Scan documents in color, black-and-white or grayscale at speeds up to 50 images per minute



- Scan everything from business cards to 34-inch long documents
- Multitask with amazing ease

Enjoy exclusive benefits you can only get from Kodak:

- On-screen color preview for real-time confirmation of image capture
- Exceptional image quality with Perfect Page image processing
- Built-in USB portable drive connectivity for image storage and user configuration profiles
- Rotatable touch screen for ease of use and ergonomic operation
- Special document feeder for front-feed, front-return scanning of identification cards and other small or thick documents

Scan Station 100 technical specifications

Output methods	Scan to network share, scan to print, scan to e-mail, scan to portable USB drive, scan to FTP (anonymous, authenticated, with proxy support)	
Network protocols	TCP/IP, SMB, authenticated SMTP (login, plain text, CRAM, NTLM), DHCP (for static), NT domain authentication	
Paper feeding	ADF 50-sheet capacity; special document feeder included for front-feed, front-return single document feeding	
Document sizes (ADF)	Max	215 mm x 863 mm (8.5 in x 34 in)
	Min	Single-sheet feeding 50 mm x 87.5 mm (2.0 in x 3.5 in); Multi-sheet feeding 75 mm x 125 mm (3.0 in x 5.0 in)
Scanning speed Bitonal, A4, 200 dpi, portrait	Simplex	25 ppm
	Duplex	50 ipm
Scanning speed Color, A4, 200 dpi, portrait	Simplex	25 ppm
	Duplex	40 ipm
Imaging features	Perfect Page scanning, deskew, autocrop	
Minimum PC configuration of bundled Scan Station 100 configuration organizer software	Pentium III processor, 1 GHz or higher, 512 MB RAM, USB 1.1 or 2.0, running Windows XP or Windows 2000	
Optical/output resolution	75, 100, 150, 200, 240, 300, 400 and 600 dpi	
Output formats	Single and multipage TIFF, JPEG, PDF and searchable PDF	
Recommended portable USB drive specs	USB 2.0, minimum size for configuration: 32 MB, minimum size for storing images/files: 128 MB	
Dimensions (H x W x D)	287 mm x 597 mm x 338 mm (11.3 in x 23.5 in x 13.3 in)	
Weight	18.1 kg (40 lbs)	
Recommended daily scanning volume	Up to 1,000 pages	

(ppm = pages per minutes, ipm = images per minute, dpi = dots per inch)

Multi-Year Service Options Available, featuring FE-Assisted AUR (Field Engineer-Assisted Advanced Unit Replacement) with Help Desk Support and Next-Business-Day Response

DOCUMENT SCANNERS

Kodak i6000 Series Check Scanners

Even more digital check processing advantages for the 21st century

Accelerate your cash flow and gain a competitive edge with this comprehensive check scanning solution, including versatile hardware choices, plus client and server software. When you're enabling money exchange based on digital imaging, exceptional image quality is a must, and that's exactly what you'll get—outstanding scanned check images to enable consistently smooth processing by the client application.

Three models deliver exactly the features you need: the **Kodak i6015** Check Scanner for single document feeding and the i6060 and i6090 Check Scanners for automatic document feeding.

- High-quality scans of checks and other documents
- Magnetic reading of MICR data for outstanding accuracy
- Image formats meet ANSI X9B standards
- Automatic scanning of up to 100 checks per minute (i6060 and i6090)
- Easily integrated into your PC configuration with USB 2.0 interface
- Compact size fits almost anywhere
- Optional inkjet printer allows pre-scan imprinting of document control numbers (DCN) or other data on check backs

Now you don't have to wait: scan and move money the same day, and achieve greater security and accuracy while reducing time and costs.



i6000 Series technical specifications

Auto feeder capacity	Auto feeder—volumes depend on thickness and condition of documents—up to 50 documents (i6060 and i6090)
Document sizes	Up to UNI A6 Document height 56-106 mm (2.2-4.2 in) Document length 80-228 mm (3.2-9.0 in) Document weight 60-120 g/m ² (16-32 lbs)
Scan system throughput (6 inch documents)	i6015: Single document feeding i6060: Up to 65 documents per minute (8-bit grayscale/bitonal); up to 62 documents per minute (24-bit color) i6090: Up to 100 documents per minute (8-bit grayscale/bitonal); up to 85 documents per minute (24-bit color)
Image resolution	200 x 200 dpi 100 x 100 or 200 x 100 software selectable from the API
Image formats	Bitmap (BMP) 4-side cropping and image rotation performed by the API
Supported operating systems	Windows 2000, XP
Minimum PC configuration	1 GHz Pentium III processor, 128 MB RAM, 100 MB free disk space, USB 1.1 port
Recommended PC configuration	2.4 GHz Pentium IV processor or greater; 512 MB RAM, 200 MB free disk space, USB 2.0 port
Scanning method	Concurrent, duplex (front and rear)
Scanner image format	Uncompressed grayscale, bitonal and color
MICR recognition	Recognition algorithm for E13B, CMC7, or CMCO standards performed by the API
Recommended daily volume	Up to 5,000 checks per day

(dpm = documents per minute, ipm = images per minute, dpi = dots per inch)

Service Offerings: Multi-Year Service Options and Support/Enhancement Services Available

Kodak t6000 Client Software for transaction applications

The ideal way to easily integrate your **Kodak i6000 Series Check Scanner** with your existing PC based infrastructure.

- Supports the complete portfolio of **Kodak Scanners**
- Automates data entry via recognition technologies and auto-population of fields in the client application
- Reads MICR, courtesy and legal amounts
- Ensures that images are accurate and complete
- Securely interfaces with **Kodak t6000 Server Software**

Kodak t6000 Server Software for corporate or financial transaction centers

It's a powerful application that can support thousands of distributed capture clients across multiple geographies and business types.

- Captures images from thousands of clients
- Leverages standard Internet security protocols
- Checks for complete, accurate images and data capture
- Sorts and routes by varied criteria
- Integrates easily with other applications, including ERP and fraud management



Kodak i30 and i40 Scanners

Speed, simplicity and advanced imaging for workgroup applications

At very pleasing price points, **Kodak** i30 and i40 Scanners bring exceptional image quality, productivity and ease of use to those in small offices and small-group applications. Advanced imaging for the desktop includes the simplex i30 scanner with color, grayscale, and bitonal capabilities at up to 25 pages per minute; and the i40 scanner, adding duplex scanning at up to 50 images per minute. Both models are packed with features and benefits leveraged from higher-volume **Kodak** Scanners. The i30 and i40 scanners include:

- Perfect Page scanning to increase productivity by dramatically reducing the need for rescans
- Automatic image cropping and straightening at full scanning speed
- Brightness and contrast controls to customize color output for specific applications
- Fast USB 2.0 interface for plug-and-play connectivity and rapid transfer of images
- Industry-standard **ISIS** and exclusive Kodak-developed **TWAIN** drivers to achieve rated speeds and easy integration
- Professional-level software bundle includes **Kodak** Capture Software, Lite, **ReadIris** Pro Corporate Edition
- Special document feeder (i40 scanner only) makes it easy to scan ID cards, credit cards, etc.; unique front-feed and front-return of documents
- One-button functionality allows you to assign up to nine scanning applications and select one at the touch of a button

i30/i40 technical specifications

Paper feeding	ADF 50-page capacity	
Document sizes	Max	215 mm x 863 mm (A4) (8.5 in x 34 in)
	Min	Single-sheet feeding: 50 mm x 87.5 mm (2 in x 3.5 in)
		ADF feeding: 87.5 mm x 125 mm (3.5 in x 5 in)
Scanning speed	Bitonal, grayscale	Up to 25 ppm/50 ipm
A4, 200 dpi, portrait	Color	Up to 25 ppm/40 ipm
Features	Perfect Page scanning, autocrop, deskew, electronic color dropout, brightness and contrast controls, multi-feed detection, VRS compatible	
Bundled software	Kodak Capture Software, Lite, ReadIris Pro Corporate Edition	
Optical/output resolution	600 dpi/75-600 dpi, selectable	
Output formats	Bitonal, grayscale, 24-bit color	
Interface/drivers	USB 2.0, TWAIN and ISIS (bundled)	
Dimensions (H x W x D)	162 mm x 337 mm x 168 mm (6.4 in x 13.2 in x 6.6 in)	
Weight	i30	3.6 kg (7.9 lbs)
	i40	4.1 kg (9 lbs)
Recommended daily scanning volume	Up to 1,000 pages	

(ppm = pages per minute, ipm = images per minute, dpi = dots per inch)

Performance Plus Service Offerings: Multi-Year Service Options and Support/Enhancement Services Available



Kodak i1200 Series Scanners

The ultimate power tools for office and workgroup productivity

If your workgroup demands the ultimate combination of speed, price and uniquely useful features, discover the new **Kodak i1210** (simplex) and **i1220** (duplex) Scanners. Now take advantage of smart touch scanning: just push one scanner function button to launch one of nine scanning configurations, delivering preset scanner settings along with a variety of output formats and destinations. These include scan to applications, PDF, TIFF or JPEG, disk, e-mail, fax and printer.

Our unique tilt-and-scan feature offers two scanning positions:

- Flat with trays extended for higher batch scanning volumes
- Fully upright with the input tray folded down for transaction feeding

There's also an optional A4 size flatbed accessory, long (up to 863 mm/34 in) and small (ID card-size) document feeding, searchable PDF output, full integration with **Kodak Capture Software** and all the high-end features you've come to expect: enhanced Perfect Page image processing, ultrasonic multi-feed detection, 600 dpi optical resolution, up to 30 ppm, plus a very compact footprint.

If you're looking to add new power for your office or workgroup, you've found the greater productivity and unique features you need right here.



Kodak i1220 Scanner



i1200 Series technical specifications

Paper feeding	Up to 50 sheets of 75 g/m ² (20 lb) paper; handles small documents such as identification cards	
Document sizes	Max	215 mm x 863 mm (8.5 in x 34 in)
	Min	50 mm x 63.5 mm (2.0 in x 2.5 in)
Scanning speed Portrait, letter size	Bitonal/grayscale/color: Up to 30 ppm/60 ipm at 200 dpi	
Bundled software	TWAIN and ISIS drivers; Kodak Capture Software, Lite ; Nuance ScanSoft OmniPage 14 and PaperPort 10 (or PaperPort Deluxe 9 for Asian countries)	
Optical resolution	600 dpi (i1210/i1220); 1200 dpi (A4 Flatbed Accessory)	
Output resolution	75, 100, 150, 200, 240, 300, 400, 600 and 1200 dpi	
Imaging features (in the scanner)	Perfect Page scanning; iThresholding; adaptive threshold processing; deskew; autocrop; relative cropping; aggressive cropping; electronic color dropout; dual stream scanning; interactive color, brightness and contrast adjustment; auto orientation; automatic color detection; background color smoothing	
Interface	USB 2.0	
Supported operating systems	Windows XP SP2 (supports USB 2.0); Windows XP 64-bit edition ; Windows 2000 Professional (supports USB 2.0)	
Recommended PC configuration	For documents up to 356 mm (14 in) long at 400 dpi: Pentium IV , 3.2 GHz processor, 512 MB RAM For documents up to 660 mm (26 in) long at 400 dpi: Pentium IV , 3.2 GHz processor, 1 GB RAM For longer documents/higher resolution: Pentium IV , 3.2 GHz processor, 3GB RAM	
Dimensions (H x W x D)	246 mm (9.7 in) x 330 mm (13.0 in) x 162 mm (6.3 in)	
Weight	i1210	5.2 kg (11.5 lbs)
	i1220	5.5 kg (12.0 lbs)
Recommended daily scanning volume	Up to 1,500 pages per day	

(ppm = pages per minute, ipm = images per minute, dpi = dots per inch)

Service Offerings: Multi-Year Service Options Available, featuring AUR (Advanced Unit Replacement) and Next-Business-Day Response

Kodak i55 and i65 Scanners

Updated models feature 600 dpi optical scanning plus Perfect Page scanning

Replacing the **Kodak** i50 and i60 Scanners, these two models add new features ideal for greater desktop productivity. The i55 scanner is a simplex model with speeds up to 32 pages per minute. The i65 scanner is a duplex model capable of processing up to 64 images per minute by capturing both sides of a document simultaneously. Both models now feature Perfect Page scanning, a built-in flatbed, dual connectivity for SCSI-2 and USB 2.0 and handle recommended daily volumes of 1,500 pages.

The i55 and i65 scanners come equipped with other great new features, including:

- 600 dpi optical scanning
- The ability to scan documents up to 34 inches long
- Industry-standard **ISIS** and exclusive Kodak-developed **TWAIN** drivers
- A robust software bundle, including **Kodak** Capture Software, Lite, **ReadIris** Pro Corporate Edition

i55/i65 technical specifications

Paper feeding	ADF 75-page capacity with flatbed	
Document sizes (ADF)	Max	215 mm x 863 mm (8.5 in x 34 in)
	Min	94 mm x 140 mm (A6) (3.7 in x 5.5 in)
Scanning speed	Simplex	32 ppm
Bitonal, A4, 200 dpi, portrait	Duplex	64 ipm (i65)
Scanning speed	Simplex	25 ppm
Color, A4, 150 dpi, portrait	Duplex	50 ipm (i65)
Bundled software	Kodak Capture Software, Lite, ReadIris Pro Corporate Edition	
Optical/output resolution	600 dpi/75-600 dpi, selectable	
Output formats	Bitonal, grayscale, 24-bit color	
Interface/drivers	SCSI-2 and USB 2.0/ TWAIN and ISIS (bundled)	
Dimensions (H x W x D)	199 mm x 567 mm x 350 mm (7.8 in x 22.3 in x 13.8 in)	
	Weight	i55 6.7 kg (14.8 lbs) i65 7.5 kg (16.6 lbs)
Recommended daily scanning volume	Up to 1,500 pages	

(ppm = pages per minute, ipm = images per minute, dpi = dots per inch)

Service Offerings: Multi-Year Service Options and Support/Enhancement Services Available



Kodak i1300 Series Scanners

Take departmental scanning to a whole new level of productivity

When you want the power-user features of high-volume scanners in models perfectly suited for your departmental needs, see all that the new **Kodak i1310** (simplex) and **i1320** (duplex) Scanners can do. To start, they deliver high-speed scanning to put some zoom in your throughput and productivity, delivering up to 60 ppm bitonal and grayscale and 30 ppm color.

Plus, you'll appreciate innovative, new features like smart touch scanning: just push one scanner function button to launch one of nine scanning configurations, delivering preset scanner settings along with a variety of output formats and destinations. These include scan to applications, PDF, TIFF or JPEG, disk, e-mail, fax and printer.

You'll love our unique tilt-and-scan feature, delivering two scanning positions:

- Flat with trays extended for higher scanning volumes
- Fully upright with the input tray folded down for transaction feeding

And there's more: an optional A4 size flatbed accessory, long (up to 863 mm/34 in) and small (ID card-size) document feeding, searchable PDF output, full integration with **Kodak Capture Software** and all the high-end features you've come to expect: enhanced Perfect Page image processing, ultrasonic multi-feed detection, 600 dpi optical resolutions, and a very compact footprint.



i1300 Series technical specifications

Paper feeding	Up to 50 sheets of 75 g/m ² (20 lb) paper; handles small documents such as identification cards
Document sizes	Max 215 mm x 863 mm (8.5 in x 34 in) Min 50 mm x 63.5 mm (2.0 in x 2.5 in)
Scanning speed Portrait, letter size	Bitonal/grayscale: Up to 60 ppm/120 ipm at 200 dpi Color: Up to 30 ppm/60 ipm at 200 dpi
Bundled software	TWAIN and ISIS drivers; Kodak Capture Software, Lite ; Nuance ScanSoft OmniPage 14 and PaperPort 10 (or PaperPort Deluxe 9 for Asian countries)
Optical resolution	600 dpi (i1310/i1320); 1200 dpi (A4 flatbed accessory)
Output resolution	75, 100, 150, 200, 240, 300, 400, 600 and 1200 dpi
Imaging features (in the scanner)	Perfect Page scanning; iThresholding; adaptive threshold processing; deskew; autocrop; relative cropping; aggressive cropping; electronic color dropout; dual stream scanning; interactive color, brightness and contrast adjustment; auto orientation; automatic color detection; background color smoothing
Interface	USB 2.0
Supported operating systems	Windows XP SP2 (supports USB 2.0); Windows XP 64-bit edition ; Windows 2000 Professional (supports USB 2.0)
Recommended PC configuration	For documents up to 356 mm (14 in) long at 400 dpi: Pentium IV , 3.2 GHz processor, 512 MB RAM For documents up to 660 mm (26 in) long at 400 dpi: Pentium IV , 3.2 GHz processor, 1 GB RAM For longer documents/higher resolution: Pentium IV , 3.2 GHz processor, 3GB RAM
Dimensions (H x W x D)	246 mm (9.7 in) x 330 mm (13.0 in) x 162 mm (6.3 in)
Weight	i1310 5.2 kg (11.5 lbs) i1320 5.5 kg (12.0 lbs)
Recommended daily scanning volume	Up to 3,000 pages per day

(ppm = pages per minute, ipm = images per minute, dpi = dots per inch)

Service Offerings: Multi-Year Service Options Available, featuring AUR (Advanced Unit Replacement) and Next-Business-Day Response

Kodak i100 Series Scanners

Two departmental models with Perfect Page scanning *and* SurePath paper handling: i150 and i160

Both models in the **Kodak i100 Series** deliver superb performance and value for busy departments and small offices everywhere. They provide a host of advanced features and benefits, including advanced image processing for great image quality automatically; simultaneous output of bitonal and color—or bitonal and grayscale—images; and an auto-feeder that lets you scan documents up to A3 size.

The i150 and i160 scanners are the lowest-priced models from Kodak, featuring Perfect Page scanning *and* SurePath paper handling. Now you can take advantage of exceptional imaging and smooth paper transport at an unprecedented price point.

Other benefits include a fast IEEE-1394 (**FireWire**) interface (card and cable included), 3-D ultrasonic multi-feed detection and electronic color dropout to boost office productivity, and VRS compatibility to extend your imaging options.



i100 Series technical specifications

Paper feeding	ADF 150-sheet capacity	
Document sizes (ADF)	Max	297 mm x 432 mm (11.7 in x 17 in)
	Min	64 mm x 89 mm (2.5 in x 3.5 in)
Scanning speed A4, 200 dpi, landscape	Simplex	40 ppm
	Duplex	80 ipm
Scanning speed A4, 200 dpi, landscape, simultaneous output mode	Simplex	40 ppm/80 ipm
	Duplex	40 ppm/160 ipm
Bundled software	Kodak Capture Software, Lite	
Optical/output resolution	300 dpi/75-600 dpi	
Output formats	Bitonal, grayscale, 24-bit color	
Interface/drivers	IEEE-1394 (FireWire) interface (card and cable included); 6-pin connector/ TWAIN and ISIS (bundled)	
Dimensions (H x W x D)	i150	236 mm x 547 mm x 300 mm (9.3 in x 21.5 in x 11.8 in)
	i160	365 mm x 547 mm x 300 mm (14.4 in x 21.5 in x 11.8 in)
Weight	i150	8.9 kg (19.8 lbs)
	i160	10.4 kg (23 lbs)
Recommended daily scanning volume	Up to 3,000 pages	

(ppm = pages per minute, ipm = images per minute, dpi = dots per inch)

Performance Plus Service Offerings: Multi-Year Service Options and Support/Enhancement Services Available

Kodak i200 Series Scanners

Three production document scanners with a dockable flatbed option: i250, i260 and i280

Kodak i200 Series Scanners deliver a powerful combination of price and performance, and bring you a remarkable array of key features, including:

- Simultaneous output of bitonal and color, or bitonal and grayscale images for each scanned page
- SurePath paper handling—short, straight paper path for secure paper transport—even for problematic documents
- Tricolor Plus CCD—the basis for consistently high image quality
- Perfect Page scanning—provides exceptional image quality, automatically
- Ultrasonic multi-feed detection—reliably detects glued or stapled documents in the paper stack
- Each model features mercury-free Xenon lamps and a fast IEEE-1394 (**FireWire**) interface (card and cable included) to speed images to the host computer

i280 scanner only:

The flagship model in the i200 series, the i280 scanner adds even more throughput speed and a host of innovative features:

- Scan mixed batches of documents with virtually no presorting, at speeds up to 81 ppm/162 ipm
- Advanced paper handling options let you scan extremely long documents
- Special document mode allows you to auto-feed even the most irregularly shaped documents



i200 Series technical specifications

Paper feeding	ADF 150-sheet capacity	
Document sizes	Max	
	i250/i260:	
	With 64 MB on-board memory: 297 mm x 432 mm (11.7 in x 17 in)	
	With 256 MB on-board memory: 297 mm x 660 mm (11.7 in x 26 in)	
	i280:	
With 256 MB on-board memory: 297 mm x 863 mm (11.7 in x 34 in)		
In long document mode: 203 mm x 6.1 m (8 in x 20 ft)		
Dockable flatbed accessory: 297 mm x 432 mm (11.7 in x 17 in)		
Min		
89 mm x 64 mm (3.5 in x 2.5 in)		
Scanning speed (Landscape, A4, bitonal grayscale, color)	i250 (simplex)/i260 (duplex): 150 dpi resolution, 67 ppm/134 ipm 200 dpi resolution, 50 ppm/100 ipm 300 dpi resolution, 33 ppm/67 ipm	
	i280 (duplex): 150 dpi resolution, 81 ppm/62 ipm 200 dpi resolution, 62 ppm/124 ipm 300 dpi resolution, 37 ppm/74 ipm	
Bundled software	Kodak Capture Software, Lite	
Optical/output resolution	300 dpi/75-600 dpi	
Output formats	Bitonal, grayscale, 24-bit color	
Interface/drivers	IEEE-1394 (FireWire) interface (card and cable included); 6-pin connector/ TWAIN and ISIS (bundled)	
Dimensions (H x W x D)	354 mm x 625 mm x 287 mm (14 in x 24.8 in x 11.3 in)	
Weight	i250	12.5 kg (27.5 lbs)
	i260/i280	13.9 kg (30.5 lbs)
Recommended daily scanning volume	i250/i260	Up to 5,000 pages per day
	i280	Up to 7,500 pages per day

(ppm = pages per minute, ipm = images per minute, dpi = dots per inch)

**Service Offerings: Multi-Year Service Options and Support/Enhancement Services Available
Performance Plus Service Offerings Available for the i280 Scanner**

Kodak i1400 Series Scanners

From small cards to long printouts, they scan it all!

Because documents aren't always the ideal shape, size or quality, the **Kodak i1410, i1420 and i1440 Scanners** are here. These tabletop units handle everything from small cards to extra-long printouts with speeds up to 75 ppm/150 ipm. Plus, there's enhanced Perfect Page image quality, great ease of use, and impressive productivity.

Scan documents up to 863 mm long (34 inches) on everything from onionskin to card stock. The i1440 Scanner's long document mode can handle materials up to 6.1 meters (20 ft) long and beyond. Add an optional A3 or A4 "tethered" flatbed scanner to scan bound materials.

When it comes to image quality, Kodak's got you covered with an array of impressive features:

- Automatic color detection senses, then outputs automatically in color, grayscale or black-and-white
- Background color smoothing removes variations in background color
- Interactive color output adjustment lets you adjust brightness, contrast and color balance to personal preferences
- Improved color accuracy enhances images for truer, more consistent colors
- Auto orientation rotates images correctly for reading
- Special i1440 Scanner features include photo extraction as a separate image file; improved, trainable electronic color dropout; and segmented black-and-white output

There's great ease of use with the smart touch feature, so you can scan to file, e-mail, publishing or other applications with just one click. A post-scan imprinter on the i1420 and i1440 Scanners prints tracking information directly on documents—with no sacrifice in speed. The USB 2.0 interface provides easy connectivity and fast transfer times. You can even switch between black-and-white and color scanning "on the fly" (i1440).



 **Perfect
Page**

i1400 Series technical specifications

Paper feeding	Up to 150 sheets of 60 g/m ² (16 lb) paper; Handles paper weights from 34-413 g/m ² (9-110 lb)	
Document sizes	Max 297 x 863 mm (11.7 in x 34 in) Min 64 mm x 89 mm (2.5 in x 3.5 in)	
Scanning speed	i1410/i1420: up to 60 ppm/120 ipm i1440: up to 75 ppm/150 ipm (speed may vary depending on driver, application software, OS and PC in use)	
Bundled software	TWAIN, ISIS and Windows Imaging Architecture Drivers; Kodak Capture Software, Lite	
Optical resolution	600 dpi (for all three models and A3/A4 flatbed accessories)	
Output resolution	75, 100, 150, 200, 240, 300, 400, 600 and 1200 dpi	
Imaging features (in scanner)	Perfect Page scanning; iThresholding; adaptive threshold processing; deskew; autocrop; relative cropping; aggressive cropping; electronic color dropout; dual stream scanning; interactive color, brightness and contrast adjustment; automatic orientation; automatic color detection; background color smoothing i1440 only: segmented black-and-white images; automatic photo cropping; multiple electronic color dropout; trainable electronic color dropout; long document mode; special document mode; toggle patch	
Imprinting	Post-scan document imprinter	
Interface	USB 2.0	
Supported operating systems	Windows XP SP2; Windows 2000 Professional SP4; Windows Vista (32-bit)	
Recommended PC configurations	For documents up to 356 mm (14 in) long at 400 dpi: Pentium 4, 3.2 GHz processor, 512 MB RAM For documents up to 660 mm (26 in) long at 400 dpi: Pentium 4, 3.2 GHz processor, 1 GB RAM For longer documents/higher resolutions: Pentium 4, 3.2 GHz processor, 3 GB RAM	
Dimensions (H x W x D)	i1410: 236 mm (9.7 in) x 547 mm (21.5 in) x 300 mm (11.8 in) i1420/i1440: 365 mm (14.4 in) x 547 mm (21.5 in) x 300 mm (11.8 in)	
Weight	i1410	8.9 kg (19.8 lbs);
	i1420/i1440	10.4 kg (23 lbs)
Recommended daily scanning volume	i1410/i1420	Up to 7,500 pages per day
	i1440	Up to 10,000 pages per day

(ppm = pages per minute, ipm = images per minute, dpi = dots per inch)

Service Offerings: Multi-Year Service Options and Support/Enhancement Services Available

Kodak i600 Series Scanners

Productivity, versatility and reliability redefined: i610, i620, i640 and i660

Now featuring the new **Kodak** i610 Scanner, the i600 Series delivers great performance to your desktop with innovations like SurePath paper handling, Perfect Page scanning, three independent ultrasonic multi-feed detection sensors, automatic color detection and more. All at a price that puts incredible productivity and value in reach to give you a competitive edge.

Kodak's renowned paper handling can scan documents of different sizes, weights and types. Continued enhancements and feedback demonstrate that customers are experiencing daily volumes of 120,000 pages per day. Continued testing of i600 feeder and separation rollers have resulted in longer life expectancy, providing customers with a lower cost of ownership.

Reduce the need for rescans with advanced image processing for great scans the first time. Get virtually every feature you'll need, including automatic color detection (scan in color automatically when color is sensed above a set threshold), electronic color dropout, pre-scan document imprinting and more. And benefit from the proven reliability of **Kodak** i600 Series Scanners, combining robust paper feeding with exceptional image quality to fly through work in a breeze.

Additional features and benefits—

- Supported by **Kodak** Capture Software
- 500-sheet, elevator-design automatic document feeder
- Bundled **ISIS** & **TWAIN** drivers
- Manual feeder accessory, customized to fit all i600 series scanners, allows single-sheet feeding of special documents
- VRS-ready

The new i610 scanner delivers the full feature set of its i600 series siblings in a bitonal and grayscale image output model for applications that typically do not require color output.



 **Perfect
Page**

i600 Series technical specifications

Paper feeding	ADF 500-sheet capacity, elevator design	
Document sizes	Max	305 mm x 863 mm (A3) (12 in x 34 in)
	Min	64 mm x 64 mm (A8) (2.5 in x 2.5 in)
Scanning speed A4, 200 dpi, landscape	Simplex	80-120 ppm, depending on model
	Duplex	160-480 ipm, depending on model
Options	White imaging background; ultra-lightweight feed module, manual feeder	
Features	Perfect Page scanning, SurePath paper handling, autocrop, aggressive crop, deskew, electronic color* dropout, brightness and contrast control, ultrasonic multi-feed detection with three sensors, VRS-ready, pre-scan imprinting; orthogonal rotation; toggle patch; automatic color* detection	
Optical/output resolution	300 dpi/100-300 dpi color/grayscale; 200-400 dpi bitonal	
Output formats	Bitonal, grayscale, 24-bit color	
Interface/drivers	IEEE-1394 (FireWire)/TWAIN and ISIS (bundled)	
Dimensions (H x W x D)	400 mm x 610 mm x 770 mm (15.7 in x 23.9 in x 30.3 in)	
Weight	38.6 kg (85 lbs)	
Recommended daily scanning volume	i1610, i1620	Up to 80,000
	i1640	Up to 100,000
	i1660	Up to 120,000

(ppm = pages per minute, ipm = images per minute, dpi = dots per inch)

* the i610 model does not scan in color

Service Offerings: Multi-Year Service Options and Support/Enhancement Services Available

Kodak i800 Series Scanners

Four models for the highest of high-volume applications: i810, i820, i830 and i840

At the high end of scanning volumes, it's all about throughput. And **Kodak i800 Series Scanners** are the perfect choice. State-of-the-art technology and performance mean that you can cut your costs significantly and increase throughput dramatically.

Look at all that i800 series scanners deliver:

- Scanning up to 160 pages (320 images) per minute in duplex mode
- Simultaneous output of bitonal and color, or bitonal and grayscale images (yields up to 640 images per minute)
- Improved brightness and contrast control
- Grayscale output now featured on the two color-capable models—i820 and i840 scanners
- Perfect Page image processing for outstanding image quality
- Easily switch “on the fly” between color/grayscale and bitonal scanning by scanning a unique patch code
- SurePath paper handling—the ideal answer for smooth, reliable paper transport
- 1,000-sheet, elevator-design ADF—enables flush left, flush right or centered feeding of documents
- Ultrasonic multi-feed detection—reliably flags double-feeds
- Upgradeable—upgrades to add throughput speed and/or color scanning can be done on site, with minimal downtime
- Electronic color dropout—automatically removes irrelevant background color without stopping to change lamps
- Manual feeder accessory, customized to fit all i800 series scanners, allows single-sheet feeding of special documents

Kodak i800 Series Scanners deliver all the performance you've come to expect from Kodak: exceptional image quality and throughput; high-value features and benefits; and robust, reliable operation. It's truly *Innovation You Can Count On!*



 **Perfect
Page**

i800 Series technical specifications

Paper feeding	ADF, 1,000-sheet capacity, elevator design	
Document sizes	Max	305 mm x 768 mm (A3) (12 in x 30 in)
	Min	64 mm x 64 mm (A8) (2.5 x 2.5 in)
Scanning speed Bitonal, A4, 200 dpi, landscape	Simplex	120-160 ppm, depending on model
	Duplex	240-320 ipm, depending on model
Scanning speed Color, A4, 150 dpi, landscape	Simplex	120-160 ppm, depending on model
	Duplex	240-320 ipm, depending on model
Options	Ultra-lightweight feed module, manual feeder, input extender, output extender	
Features	Tricolor Plus CCD, Perfect Page scanning, SurePath paper handling, multi-feed detection with ultrasonic technology, document imprinting, electronic color dropout, easily upgradeable	
Optical/output resolution	300 dpi / 100-300 dpi color/grayscale; 200-400 dpi bitonal	
Output formats	Bitonal, color/grayscale (i820/i840)	
Interface/drivers	Wide ultra SCSI-2/ TWAIN and ISIS (bundled)	
Dimensions (H x W x D)	1240 mm x 660 mm x 1270 mm (49 in x 26 in x 50 in)	
Weight	< 204 kg (< 450 lbs)	
Recommended daily scanning volume	Unlimited	

(ppm = pages per minute, ipm = images per minute, dpi = dots per inch)

Service Offerings: Multi-Year Service Options and Support/Enhancement Services Available

Kodak i800 Series Scanners

Kodak's most productive and durable scanners for high-volume workloads

Is your workload huge and seemingly never ending? Do you need to keep scanning dependably on one, two, or even three shifts? Now there are two ideal solutions: the **Kodak i840** and **i860** Scanners. All the features are here to tackle the most demanding high-volume challenges: Perfect Page image quality, SurePath paper handling, rock-solid construction, a keen eye on ergonomics and a modest footprint all add up to an outstanding combination of performance and value. Plus, there's an easy upgrade path from the i840 Scanner to the i860 Scanner.

Both models are designed with user ergonomics in mind, featuring touch-screen ease of use, quiet operation and an automatic height adjustment to improve operator satisfaction and overall productivity.

And that's just the beginning of the benefits for comfort and productivity—

- Up to 200 ppm throughput
- Five output formats—black and white, grayscale or color, plus two dual stream options: black and white and grayscale or black and white and color—for imaging flexibility that meets many downstream needs
- Environmentally friendly—lead-free; **Energy Star** qualified, mercury-free Xenon lamps
- Adjustable color touch screen for easy operation
- Automatic color detection “tells” the scanner when to capture images in color, which reduces document preparation and helps automate scanning
- Front- or rear-side imprinting
- Lockable paper-feeding guides for better control of print location
- Patch reading and image addressing (i860) for precise batch control, document tracking and image management



Kodak i860 Scanner



Production Scanner

Kodak i860 Scanner



i1800 Series technical specifications

Paper feeding	500 sheet feeder. Standard feeder: 45 g/m ² (12 lb) bond to 200 g/m ² (110 lb) index; Ultra-lightweight feeder: 25 g/m ² (7 lb) rice paper to 75 g/m ² (20 lb) bond
Document sizes	Max 305 mm x 863 mm (12 in x 34 in) Min 64 mm x 64 mm (2.5 in x 2.5 in)
Scanning speed	i1840: up to 160 ppm/640 ipm. i1860: up to 200 ppm/800 ipm (speeds may vary depending on choice of driver, application software, operating system and PC in use)
Bundled software	TWAIN and ISIS drivers; Kodak Capture Software
Optical resolution	300 dpi
Output resolution	Bitonal: 200/240/300/400 dpi Color/grayscale: 100/150/200/240/300 dpi
Imaging features (in scanner)	Perfect Page scanning, iThresholding; autocrop, aggressive crop, deskew; image rotation, electronic color dropout, dual stream scanning, halftone removal, noise removal, zone processing, toggle patch, automatic color detection
Interface	IEEE-1394 (FireWire) interface, 6-pin connector; IEEE-1394 card and cable included
Supported operating systems	Windows 2000 SP4, Windows XP SP2, Windows Vista (32-bit)
Recommended PC configuration RAM	Pentium IV 2.4 GHz processor with 512 MB
Dimensions (H x W x D)	1020-1070 mm (40-50 in) x 780-830 mm (31-33 in) x 990 mm (39 in); adjustable height; width varies depending on touch screen position
Weight	218 kg (480 lbs)
Recommended daily scanning volume	Unlimited

(ppm = pages per minute, ipm = images per minute, dpi = dots per inch)

Specifications are subject to change without notice

Kodak Capture Software

A single, fully-featured document management application for all of your Kodak Scanners

Kodak Capture Software is the ideal way to maximize your productivity, no matter which **Kodak** Scanner model you have. It's the ideal front-end capture application for content and document management applications; imaging, forms processing and workflow applications; and as a stand-alone application. It efficiently and productively manages scanning, indexing and batching—simplex and duplex, color, grayscale and bitonal.

Batches can be easily exported to many popular applications, including scan-to-Web, magnetic storage or CD authoring (bitonal scanning only), complete with index data. With our high speed, multi-page viewer, you can see up to eight pages at a time and verify image quality during scanning.

Kodak Capture Software is fully compatible with every model in our scanner line and features great new advantages, including:

- A no-cost image verification feature provides tamper-evident security for your document images
- Easy setup and support of Perfect Page scanning to automatically adjust brightness and contrast, so more documents can be scanned, more automatically than ever before
- Use the Find-and-View feature to easily search and retrieve scanned images
- Use on-the-fly barcode, OCR zone, and MICR and patch code recognition to automate indexing and achieve the extremely reliable batch and document separation you need

To get you started, **Kodak** Capture Software, Lite is bundled with **Kodak** i30, i40, i1200, i55, i65, i1300, i100 and i200 Series Scanners. For these models, an upgrade to the full version of **Kodak** Capture Software is available.



Kodak Capture Software

To download a free demonstration version of **Kodak** Capture Software, visit: www.kodak.com/go/capturesoftware.

REFERENCE ARCHIVING

Kodak Products to enable your reference archive

For accountability, safety and access

Today, more than ever, corporate accountability is critical. It's crucial to cost-effectively keep your digital and paper documents and files available in a way that survives technological advances and obsolescence. Imagine an important file that isn't where it's supposed to be. Whether from network mishaps, legal delays, or even fraud, why disrupt and jeopardize your business operations when you can have an archival solution that's truly secure? Kodak has answers that keep your critical files safe, complete and easily accessible, in digital and analog form.



Kodak can help you meet the ever-increasing regulatory requirements for safekeeping and managing your critical business information. Our products—including digital-to-film writers and film-to-digital scanners—help people like you create reference archives that demonstrate responsible records management and reduce the costs of storing documents online.

Kodak i9600 Series Writers

The easy way to help protect your critical business information from tampering or loss

The i9600 series writers are the ideal way to archive records. They accept TIFF files, organized by your selected records management attributes—such as class, date, or destruction schedule—and create copies of them on **Kodak Reference Archive Media**. Self-describing indices provide built-in audit trails and help make your reference archive repository accessible digitally through host applications. Reference archive media can be automatically searched and redigitized for online access and retrieval to provide short-term validation and long-term storage of records—without burdening your servers. Choice of two models based on throughput needs.

- Accepts bitonal TIFF input
- Unattended filming
- High-contrast images
- Variable reduction through image scaling
- Compatible with ISO/ANSI film standards
- Creates two masters at the same time
- Capable of writing images full width of film; large images can be preserved on 16 mm film

i9600 Series technical specifications

Compression Factor	i9610 Throughput*	i9620 Throughput*	Packing Density
24:1	85 ipm	170 ipm	7,225 images/roll
40:1	200 ipm	400 ipm	17,000 images/roll

* Average images per minute (ipm); actual performance is dependent upon application

Dimensions (H x W x D) 1196 mm x 615 mm x 810 mm
(47.1 in x 24.2 in x 31.9 in)

Weight 159 kg (350 lbs)

(ppm = pages per minute, ipm = images per minute, dpi = dots per inch)

Service Offerings: Multi-Year Service Options and Support/Enhancement Services Available



Kodak Reference Archive Media

Life expectancy of up to 500 years for peace of mind

Specially formulated for use with the i9600 series writers and the previous-generation **Kodak Digital Science** Document Archive Writer, this media provides high-quality, human-readable reference archives of digital images. Reference archive media is manufactured to ANSI and ISO specifications, and when properly processed and stored, has a life expectancy of 500 years.

- High-resolution, high-quality images
- Coated on polyester (PET) base, meeting ISO requirements for safety film
- Reduces dirt and static problems in retrieval, scanning, and duplication
- Manufactured under stringent conditions to ensure highest quality microfilm
- 100 ft (33.5 m) or 215 ft (66 m) lengths available



Kodak i9600 Application Software Kit

The i9600 application software kit consists of the i9600 application software, as well as the electronic microimager software and the software value pack.

Kodak i9600 Application Software

The **Kodak** i9600 Application Software is a **Microsoft Windows** application that provides an easy-to-use interface to the **Kodak** i9600 Series Writers and the **Kodak Digital Science** Document Archive Writer 4800. This software replaces the **Kodak** Archive Writer Interface Software (AWIS) with a more robust, easier to use, interface design that makes writing a reference archive easy!

The software consists of two programs, input processor and the **Kodak** i9600 Application Software, and an API.

- The input processor inspects TIFF and text images, and if necessary, formats them to i9600 writer specifications before writing them to **Kodak** Reference Archive Media. For example, batch image rotation routines.

- The application software contains both administration and job execution functions that allow you to access and utilize the full range of the hardware capabilities. The administration function focuses on defining parameters such as output format, volume name and retrieval indexes. These parameters are established for each application you define. Once defined, an application is executed using the job execution functions. Here, the software collects and controls the flow of image data to the writer, provides status information and generates a transfer file that contains film-based index values to support retrieval. This transfer file is typically merged into an imaging system database or into a separate database with other index values, as specified.
- Programmatic interfaces exist to support the creation of your own custom user interface, or to create your own customized combined index via the transfer file. There are multiple third-party integrations available from vendors that are part of Kodak's Independent Software Vendor program. The functionality you require may already exist.

Kodak Electronic Microimager Software

Seamlessly integrated with **Kodak** Capture Software, this multi-batch output format application makes it easy to scan documents, create Perfect Page images and write the images to the i9600 series writers or **Kodak Digital Science** Document Archive Writer 4800, while simultaneously uploading your online document management system.

Software value pack

This CD is full of third-party sample applications that will enhance your reference archive. These tools are available for your use. Contact the vendors for the latest information about their products.

Electronic microimaging from Kodak

Bring digital advantages to your microfilm

With an electronic microimager you can get the most out of your microfilm by adding digital advantages. Capture images with a fast, reliable scanner while digital technology processes the images in the background for the best possible image quality. This integrated system includes a document scanner, a **Kodak** Innovation Series Writer, Capture Software, and Interface Software. Plus, your images are committed to ISO-standard, 16 mm **Kodak** Reference Archive Media.

- Consolidates document capture and backup into a single process
- Get instant access to digital images via your network or write them to digital media
- Automatically performs rotation, skew correction, border removal and cropping
- Inspect images and correct errors by inserting a rescan prior to writing images to film
- Get virtually perfect microfilm—first time, every time

Kodak i7300 Scanner

Bring your reference archive to the desktop

Today, microfilm continues to be a low-cost, low-risk method of managing documents and information, and is the media of choice for secure, "reference-archive" storage. With the **Kodak i7300 Scanner** you can bridge microfilm's proven stability with the efficiency of digital technology.

The **Kodak i7300 Scanner** virtually eliminates the inefficient aspects of traditional microfilm retrieval—including slow, tedious viewing or limited output and delivery options. It can reduce ongoing costs associated with older printers and readers—from maintenance to high-priced consumables. With the i7300 scanner, your images are retrieved fast; displayed digitally for identification; then printed, faxed, and/or sent as e-mail. You'll have exceptionally high-quality images that are deskewed, cropped, merged (duplexed), and displayed in seconds.

- High speed, desktop, 16 mm film scanner
- Accepts both ANSI and M-type cartridges
- Images can be saved as bitonal or grayscale
- Output in TIFF, multi-page TIFF, and JPEG



i7300 technical specifications

Scanning resolution	100 to 500 dpi
Electrical requirements	100-120 or 220-240 VAC, 50-60 Hz, 1200W, 6 amps max
Heat dissipation	<750 Btu/hr
PC minimum requirements	Processor: Pentium III , Pentium 4 , 2.0 GHz, full height PCI bus master slot for use with included 3/4 length scanner card Operating System: Windows 2000 Professional , XP Professional Monitor: 19 in, 21 in recommended; 8 MB graphics card Connectivity: ethernet or token ring card as required; serial port for scanner
Dimensions (H x W x D)	285 mm x 381 mm x 559 mm (13 in x 15 in x 22 in)
Weight	29.5 kg (65 lbs)

Service Offerings: Multi-Year Service Options and Support/Enhancement Services Available

Kodak i7300 Scanner Application Software

For complete integration and connectivity

The interface goes beyond other 16 mm film scanning products, delivering speed and efficiency with features made for today's technology. It offers complete connectivity with Computer-Assisted Retrieval (CAR) systems, which integrate seamlessly with i7300 scanner application software. CAR is an accessory to the i7300 scanner application software. You'll also appreciate integration with local- and wide-area networks, and consistently fast and accurate digital image retrieval.

- High quality, positive-appearing images (bitonal to grayscale)
- Real-time image control without rescanning images
- Digital scrolling enables manual desktop searching

Kodak Image Server Software

Expand your output options to the network and beyond

Accelerate your productivity even more by creating your own retrieval network. Image server software works with **Kodak Imagelink** Digital Workstations, intelligent microimage scanners and i7300 scanners. With it, they feed into one central server for a full range of routing options and output.

- Serves as many as four printers (scalable to eight)
- Accepts CAR commands
- Enables faxing and e-mail
- Batch prints from document file folders

Kodak 2400DSV-E and 3000DSV-E Digital Scanner-Printers

Higher quality microfilm images, even greater film versatility

The digital solution for on-demand printing and scanning, and ideal for safeguarding your critical data with a reference archive. For managing documents and information—and for low cost, low-risk reference archive storage—microfilm is the media of choice. With a **Kodak 2400DSV-E** or **3000DSV-E Digital Scanner-Printer**, you can deliver documents in digital and paper formats—and do it fast. Now with new enhanced features, at no extra cost:

- **EnergyStar** Power Saver—with sleep mode for smart conservation
- Even higher-quality scanning of images—new, enhanced 600 dpi CIS array
- Date and time printing on the page—with optional high-speed video laser printer
- Image distortion correction—remedies slight image distortion issues

- Fully utilize 35 mm full-frame scanning—with optional engineering zoom lens
- Holds an additional 250 sheets of paper—with optional second universal paper cassette

These units make excellent upgrades from analog reader-printers or first-generation film scanners. And they bridge to microfilm's proven performance with the flexibility of digital technology. Get the best of both worlds and output scanned images directly to the unit's optional video laser printer or through the PC interface, via optional **PowerFilm** or optional USB-2 interface with **TWAIN** driver. Post scans on Web sites at up to 800 dpi, or e-mail and fax images seamlessly, via our exclusive **PowerFilm** Application Software.



2400/3000DSV-E technical specifications

Screen size	2400DSV-E: 303 mm x 303 mm (12 in x 12 in) 3000DSV-E: 303 mm x 440 mm (12 in x 17 in)
Film formats	Microfiche, jackets, aperture cards 16 mm & 35 mm roll film, 16 mm M & ANSI cartridges
Lens magnifications	2400DSV-E 7.5x fixed, 9-16x, 13-27x, 23-50x zoom lenses 3000DSV-E 20-50x, 7-7.5x zoom lenses
Focus control	2400DSV-E manual 3000DSV-E manual (optional auto focus kit where available)
Image rotation	Automatic for printing; motorized for viewing
Scanning speeds	4.5 seconds @ 200 dpi
Scanning resolutions	200, 300, 400, 600, 800 dpi (restricted image size)
Recommended daily volume	2400DSV-E 300 scans per day 3000DSV-E 1,000+ scans per day
Electronic zoom	50-200%
Multiple prints	2400DSV-E 1-19 prints 3000DSV-E 1-99 prints
Interfaces	Video (direct printing); PC (SCSI II), optional USB-2
Exposure control	Automatic and manual
Scanning features	Auto centering, auto frame masking, auto image rotation, auto skew correction, footswitch (optional), grayscale scanning (with optional PowerFilm only), manual masking and cropping (optional)

Illumination	20V, 150W halogen	
Power requirements	120V, 50/60 Hz; 230V, 50/60 Hz; 100V, 50/60 Hz	
Power consumption	350W	
Dimensions (H x W x D)	2400DSV-E	716 mm x 503 mm x 821 mm (28 in x 19 in x 32 in)
	3000DSV-E	853 mm x 560 mm x 760 mm (33 in x 22 in x 30 in)
Weight	2400DSV-E	39 kg (86 lbs)
	3000DSV-E	65 kg (143 lbs)

Service Offerings: Multi-Year Service Options and Support/Enhancement Services Available

PowerFilm Application Software for the i7300 and DSVs

Unleash the power of film with your PC

PowerFilm Application Software combines a user-friendly interface with a wide range of output, indexing, retrieval and distribution tools. It's specially designed for batch scanning and digitization of all film formats. Here are just some of the ways it can make you more productive.

Features

- Output options provide versatile image distribution—including TIFF, multi-page TIFF, CD Publish and PDF and **Kofax** Ascent upload modules
- Save options allow efficient job management—operators can interrupt, suspend, and return to jobs later; accept or reject options are also available for scanned batches
- Create CDs—build a database of scanned images and data with CD Publish; then use CD Retrieve to search and recall individual images, or groups of images, from indexing criteria that you choose
- Index utility—flexible indexing offers as many as 10 fields—text, numeric or date—with up to 32 characters per field; auto-repeat indexing, such as “current date,” is another efficiency feature that's included
- Limit user interface for easy walk-up customer use

Kodak Service & Support

It only takes one call to get the support you need

Kodak Service & Support is a leading multi-vendor integrated services provider, delivering consulting, installation, maintenance and support services for the commercial and transactional printing, graphic communications, document imaging and data storage industries. Globally, across 120 countries and with more than 3,000 highly trained service professionals, we stand ready to support your operation—around the clock if necessary.

Kodak Service & Support is your one source service provider for Kodak branded equipment, as well as over 1,000 other models from more than 100 manufacturers including scanners, data storage systems, micrographic equipment and more.

The industry benchmark for service

Today's competitive business environment demands maximum productivity and efficiency. Equipment downtime can keep you from achieving business objectives and have a direct impact on your bottom line. With Kodak Service & Support, you have the protection of a global team, dedicated to the quality service you need to keep your operation running at peak performance.

Over four decades of experience in delivering worldwide services have shown us the right combination of options, offerings, parts and systems is essential. Kodak Service & Support provides peace of mind with people, processes and technologies that deliver results. Our commitment to service excellence is why Kodak Service & Support consistently receives customer satisfaction ratings that exceed 90 percent.

Kodak Service & Support advantages

The right systems to support your needs

Closed loop systems designed specifically for service by Kodak to ensure that each request receives the same superior level of service from start to finish.

Global parts infrastructure

At Kodak, parts are managed on a global, national and local basis—with strategically located parts depots—to ensure the right part is available, where and when it's needed.

Managed globally, supported locally

Our customers get a local face to answer their call, backed up by the strength of a global infrastructure.

Few service providers can compare to the depth and breadth of the product portfolio supported by Kodak Service & Support. For a complete list of supported manufacturers, contact your reseller, or visit us on the Web at: www.kodak.com/go/service.

Kodak
Service & Support

Contact Us

EUROPE, AFRICA AND MIDDLE EAST

UNITED KINGDOM—Phone: +44 1 442 844791,
Fax: +44 1 442 845856

SCANDINAVIA—Phone: +44 1 442 845878,
Fax: +44 1 442 845877

GERMANY, AUSTRIA, & SWITZERLAND—
Phone: +49 711 406 3411, Fax: +49 711 406 3619

EASTERN EUROPE, MIDDLE EAST AND AFRICA—
Phone: +36 1 454 3031, Fax: +36 1 3879113

FRANCE, SPAIN, PORTUGAL—Phone: +33 1 4001 4082,
Fax: +33 1 4001 3981

ITALY—Phone: +39 0266028338, Fax: +39 0266028358

THE NETHERLANDS—Phone: +31 347 363 612,
Fax: +31 347 363 606

BELGIUM AND LUXEMBOURG—Phone: +32 262 68506,
Fax: +32 262 68502

EAMER-DI-Capture@kodak.com

GREATER ASIA

KODAK (AUSTRALASIA) PTY LTD.—North Ryde NSW, AUSTRALIA
+61-2-9870-4224

KODAK (CHINA) LIMITED—Beijing: +8610-6561-6561 x 8908,
Shanghai: +8621-6350-0888 x1297, Guangzhou: +8620-8666-
9888 x 6406, Chengdu: +8628-8678-3866 x 1082

KODAK (HONG KONG) LIMITED—North Point:
+852-2564-9330 (direct line 334)

KODAK INDIA LIMITED—Chennai: +91-44-2362 1203,
New Delhi: +91-11-2338 5471, Mumbai: + 91-22-2652 6310

KODAK (MALAYSIA) SDN BHD.—
Selangor: +603-7957-2722 x 1381

KODAK PHILIPPINES LIMITED—
Makati City: 1299 +632-810-0331 x401

KODAK (SINGAPORE) PTE. LTD.—098632 +65-6371-3172

KODAK TAIWAN LIMITED—Taipei: 112 +886-2-2893-8188

KODAK (THAILAND) LIMITED—
Bangkok: 10400 +(662) 2713040-59 x 404

In other areas of Asia, contact marcom@kodak.com or visit
www.kodak.com.au/go/contactus.

JAPAN

KODAK JAPAN LTD.—Phone: +81-3-5540-2270,
Fax: +81-3-5540-2271, jp-di-mktg@kodak.com

LATIN AMERICA

ARGENTINA, CHILE, PERU, URUGUAY, BOLIVIA, PARAGUAY—
Phone: (54) 3327-458315, Fax: (54) 3327-458170,
e-mail: Nicolas.dezi@kodak.com

BRAZIL—Kodak Brasileira, Phone: (5511) 3748-6094,
Fax: (5511) 3748-6185, e-mail: Sandra.martins@kodak.com,
www.kodak.com.br/go/docimaging

CARIBE Y VENEZUELA—Kodak de México,
Phone: (5233) 3678-6262, Fax: (5233) 3678-6397, Service for
Venezuela: (582) 443-9981, Fax: (582) 443-4737

MÉXICO, CENTRO AMÉRICA Y ECUADOR—Kodak de México,
Phone: (52) (33) 3818-6598, Fax: (52) (33) 3678-6397, Service for
México: (01) (55) 5449-4565, Outside of Mexico City:
01800-5661-200

COLOMBIA—Kodak Américas Ltda., Phone: (571) 412-5550
ext. 270, Fax: (571) 412-5548, Service: (571) 412-5512,
Out of Bogotá: 9800-910-511

PANAMÁ—Kodak Panamá Ltda., Service: (507) 270-3579,
Fax: (507) 270-3580

PUERTO RICO—Kodak Caribbean, Phone: (787) 528-9129

FOR ALL COUNTRIES—e-mail: informes@kodak.com,
Web: www.kodak.com/go/docimaging-lar.

UNITED STATES AND CANADA

UNITED STATES—Eastman Kodak Company, Rochester, NY 14650,
Phone: 1-800-944-6171

CANADA—Kodak Canada, Inc., Toronto, Ontario M6M 1V3
Phone: 1-800-465-6325

In other areas, contact the Kodak company nearest you, or visit us at
www.kodak.com/go/docimaging.

NOTES